

Things You Need to Know before You Install*

Clearpath MCP Sites:

- 1) IP Address of Host or Host Gateway Server:

- 2) IP Port Number (normally 23 or 992 for HGS):

Clearpath OS 2200 Sites:

- 1) TCP/IP Connection Type:

- TPO to an HLC
- DCP as an IP Router
- Host Gateway Server (HGS)

- 2) IP Address of Host, DCP or HGS:

- 3) IP Port Number (normally 102, 3782 for HGS):

- 4) CMS Process or Telcon XEU for:

DCA TS:	HLC/Router:
Telcon XEU values †	CMS PROCESS values ‡

- 5) Application Names (if TIPCSU): °

- 6) Station Names (if TIP): °

† Names usually used on \$\$OPEN commands

‡ RSDCSU (DEMAND) and TIPCSU (TIP)

° Names from CMS APPLICATION and PID statements

*** Consult with your Site Communications Administrator to assist you in determining these settings.**

Remove Older Version

We highly recommend that older versions of eQuate be removed prior to installation. From the Windows Task Bar, select **Run | Settings | Control Panel | Add or Remove Programs | eQuateDev (or eQuateUser) | Remove**. Note: Any configuration settings for the older version will NOT be deleted, but retained and optionally applied to the new version during the installation.

eQuate Installation

The eQuate Setup program (Developers Edition or Run-time Edition) will present dialogs that step you through the installation process. Follow this procedure to install eQuate.

1. Insert the eQuate in your disk drive. The setup process should begin automatically.
2. Follow the instructions on the screen when presented.

If you have downloaded a version from our Web or FTP site, you will need to place all the files in a single temporary directory and run eQuateDev.exe or eQuateUser.exe.

Note: For instructions that are more detailed, read the enclosed paper, **eQuate Installation and Quick Start**, and reference the on-line help for eQuate.





eQuate

Installation Instructions

IMPORTANT
READ

Before You Proceed!

KMSYS Worldwide Technical Support:
support@kmsys.com
(770) 653-6363

Windows is a registered trademarks of Microsoft Corporation.



System Requirements:

Approximately 5 MB for User Run-time Files
Approximately 12 MB for Private Administrator/Developer Files
Windows Vista, Windows XP, Windows 2003 or Windows 2000
Professional and Server
Winsock Compliant TCP/IP Stacks